


3.8V-40V Vin, 2A, High Efficiency Synchronous Step-down DCDC Converter with Programmable Frequency











/

%- /

8) %) %	- "
1)	!6	8)%	



,	
 -	8
 •	87

н			
	(-) %	
	%-)%	
	") %	& *	8

			.7	-	7 &	! 6	6 "		8"	"%	/8/&" %&)	"		
		8 %&)	-	!	8	!	6	"		8"	"% "	"%*	%*	
(1) (2)	8 8		&* * &* ,		* %% * %					-				


6	&)	8
8			U




	7		%,. %-	%- %
6	"	" 61 ₈ 1 6! ₈ 2&	(%%	



_



8 ! 2& !*%%




8!

)

+




26





(

*






8



2((



, 8 8





 %&		8	8 !	6	
	1	8)%			

-

+





EN

FB

RT/CLK

Oscillator With PLL





,





8)%

-













! &%% 8 ++ 8






&, %8! &) * 8!







) (-)%
	((
8	6
	* %%
	&+ *
	*,+
) ++















!







/ 8) %




LV WKH q& yXU2âyG



&)


- *6 +6	! 2% %(! (6 8 , 6 8 &+(8% ! ,)) (* 8%8% 8%	- -
68	" 88 " 88 8	! 8	








8)%










! 2& ! 2((! 26! 2*%/









-

	*	8(%	
--	---	----	---	--

6	&(%%	&, %	%%* &	%% / ,
6&	%%8/8/6	% &%%	%%8%	%%%
6	&(*%	&**%	%%* (%%+&
	%((%	%* &%	%%&(%% %
	%&, %	% *%	%%%	%%&%
),%%	* &%	%& *	% %&
&	(%%	(*%	%& %	%& -
	(- %%) %%%	%&* %	%&*,
&	* - %%	+ %%	% -	%))
	&+%	(+%	%% *	%% (
	& ,%7	8	%%*%	7 8
	%) %%	& , %	%%&+	%%%
θ	%	-	%	-

1. 2. 3. 6 4. 5. 6. 8

87



%&



8 8! 6 / 8) %

